

FIG. 1




FIG. 2




FIG.3




FIG.4




FIG. 5




FIG. 6




FIG.7

27

PRINT ? X

PRINTER

NAME (N) : Brother HL-2400C (BR-Script2) PROPERTY (P) 28a

STATE : IDLING

MODEL : Brother HL-2400C BR-Script2

LOCATION: 10. 154. 24: BINARY_P1

COMMENT :

☐ OUTPUT TO FILE

REGION

☒ ALL

☐ CURRENT PAGE

☐ SPECIFY PAGES

NUMBER OF COPIES

NUMBER OF COPIES: 1

☐ PRINT IN ORDER

TYPE: TEXT ▼

TARGET: ALL PAGES ▼

OPTION (O) ...

OK 28b

CANCEL

FIG.8

29a

☒ CONFIDENTIAL PRINTING 29

PASSWORD *****

CONFIRM PASSWORD *****

ADDRESS AND PHONE NUMBER

E-MAIL Tom@keitai.brother.co.jp

TEL 0904-1234567

OK 29b

CANCEL

FIG. 9




FIG. 10

Print Server Homepage

Administrator Settings

Print Private Documents

Support Link

32

FIG. 11

Enter Your Password

Name:

Password:

33a 33b 33

FIG. 12




FIG. 13




FIG. 14




FIG.15

Subject: Private Document "Annual Report [00001]" 37
 Date: Tue, 30 Nov. 1999 11:08:15+0900
 From: Printer1@brother.co.jp
 To: Tom@keitai.brother.co.jp

Message: Tom, your private document "Annual Report" is spooled and ready to print. Reply your password to start print this document.

PASSWORD=
 <Reply>

FIG.16

To: Printer@brother.co.jp
 (From: Tom@keitai.brother.co.jp)
 Subject: Re:Private Document "Annual Report [00001]"
 Date: Tue, 30 Nov. 1999 11:08:25+0900

Message: Tom, your private document "Annual Report" is spooled and ready to print. Reply your password to start print this document.

PASSWORD= *****

FIG.17





FIG.18



Print Server Homepage


Administrator Settings

Print Private Documents

Support Link

39

FIG.19




Enter Admin Password

Name:

Password:

40

FIG.20



Administrator Settings

Configure Network Settings

Configure Printer Setting

41

0974564-034704




FIG.21

Configure Network Settings

IP Settings

IP address:

Subnet Mask:

Router address:

43 44

42

FIG.22

To: Admin-Printer1@brother.co.jp
 (From: Tom@keitai.brother.co.jp)
 Subject: Administrator Setting
 Date: Tue, 30 Nov. 1999 11:08:20+0900

NAME= admin

PASSWORD= *****

FIG.23

Subject: Re:Administrator Setting[00001]
 Date: Tue, 30 Nov. 1999 11:08:25+0900
 From: Admin-Printer1@brother.co.jp
 To: Tom@keitai.brother.co.jp

Message: Tom, accepted your configuration request.
 Current settings are:

POWER SAVE MODE= ON

TONER SAVE MODE= OFF

44

10/17

FIG.24

To: Admin-Printer1@brother.co.jp
(From: Tom@keitai.brother.co.jp)
Subject: Re:Re:Administrator Setting
Date: Tue, 30 Nov. 1999 11:08:30+0900

45

TONER SAVE MODE= ON

FIG.25

Subject: Re:Re:Re:Administrator Setting[00001]
Date: Tue, 30 Nov. 1999 11:08:35+0900
From: Admin-Printer1@brother.co.jp
To: Tom@keitai.brother.co.jp

46

Message: Tom, accepted your configuration request.
Current settings are:

POWER SAVE MODE= ON

TONER SAVE MODE= ON

2000-11-30 11:08:35



FIG.26




FIG.27





FIG.28

FIG. 28 is a diagram of a password entry dialog box 47. The dialog box 47 is a rectangular window with a title bar. Inside the dialog box, the text "Password is not Correct !" is displayed at the top, followed by "Enter Your Password". Below this text, there are two input fields: "Name:" followed by a text box, and "Password:" followed by a text box. At the bottom of the dialog box, there are two buttons: "OK" and "Cancel". The "OK" button is labeled 47a and the "Cancel" button is labeled 47b. The entire dialog box is labeled 47.



47a 47b 47

FIG.29




FIG.30




FIG.31




FIG.32





FIG.33



20240927/160



FIG.34





FIG.35



09/15/04 09:47:04

016E 10/10